


CHC 10.9 brut

DIN 912 - ISO 4762



| ∅ | 3 | 4 | 5 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 |
|----|-----|-----|-----|----|------|------|------|----|----|-----|-----|
| P | 0,5 | 0,7 | 0,8 | 1 | 1,25 | 1,50 | 1,75 | 2 | 2 | 2,5 | 2,5 |
| Dk | 5,5 | 7 | 8,5 | 10 | 13 | 16 | 18 | 21 | 24 | 27 | 30 |
| K | 3 | 4 | 5 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 |
| s | 2,5 | 3 | 4 | 5 | 6 | 8 | 10 | 12 | 14 | 16 | 17 |
| t | 1,3 | 2 | 2,5 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| b | 18 | 20 | 22 | 24 | 28 | 32 | 36 | 40 | 44 | 48 | 52 |
| * | 20 | 25 | 25 | 30 | 35 | 40 | 50 | 55 | 60 | 65 | 70 |

* Filetée sous tête jusqu'à

| ∅ | 3 | 4 | 5 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 |
|--------------------|--------------|---|---|---|---|--------------|-------------|----|-------------|-------------|----|
| Longueur sous-tête | Boîte de 200 | | | | | Boîte de 100 | Boîte de 50 | | | Boîte de 25 | |
| 5 | | | | | | | | | | | |
| 6 | X | | | | | | | | | | |
| 8 | X | X | X | | | | | | | | |
| 10 | X | X | X | X | | | | | | | |
| 12 | X | X | X | X | | | | | | | |
| 16 | X | X | X | X | X | | | | | | |
| 20 | X | X | X | X | X | X | | | | | |
| 25 | X | X | X | X | X | X | X | | | | |
| 30 | X | X | X | X | X | X | X | X | X | | |
| 35 | | X | X | X | X | X | X | X | X | | |
| 40 | | X | X | X | X | X | X | X | X | | |
| 45 | | | X | X | X | X | X | X | X | | |
| 50 | | | X | X | X | X | X | X | X | X | X |
| 55 | | | | X | X | X | X | | | | |
| 60 | | | | X | X | X | X | X | X | X | X |
| 65 | | | | | X | X | X | | | | |
| 70 | | | | | X | X | X | X | X | X | X |
| 80 | | | | | X | X | X | X | X | X | X |
| 90 | | | | | | X | X | X | X | X | X |
| 100 | | | | | | X | X | X | X | X | X |
| 110 | | | | | | | X | X | X | X | X |
| 120 | | | | | | | X | X | X | X | X |
| 130 | | | | | | | | X | X | X | X |
| 140 | | | | | | | | X | X | X | X |
| 150 | | | | | | | | | | X | X |
| | Boîte de 100 | | | | | Boîte de 50 | | | Boîte de 25 | | |

Les caractéristiques mécaniques sont conformes à la norme ISO 898-1.